

Eye drops after LRI

In order to secure the most optimal conditions for your eye treatment, you are supposed to drip your eyes after the treatment.

Please go to a pharmacy not later than two days before the operation to buy eye drops prescribed by our doctor. The prescription is on a digital server, you only need to tell your CPR-number at a pharmacy of your choice.

Monopex 1 mg/ml is an adrenal cortical hormone eye drop. It has an inhibitory effect on tissue reactions seen after surgery.

Oftaquix 5mg/ml is a broad-spectrum antibiotic with preventive effect on inflammation.

Thealoz Duo/Hylo-Care are artificial tears used to protect, moisturize and lubricate the eyes for better comfort and vision in the first period of time after surgery. They can be purchased in our clinics and pharmacies without a prescription.

NOTE: Allow 5 minutes between dripping with the 2 eye drops, but always finish with Thealoz Duo/Hylo-Care. If you drip first with Thealoz Duo/Hylo-Care allow 30 min. before you can drip with Oftaquix or Monopex.

We recommend wearing sunglasses for the first 2-3 months outdoors in sunshine.

On day of operation, after the operation:

- **Monopex:** 1 drop in the afternoon and in the evening.
- **Oftaquix:** 1 drop in the afternoon and in the evening.
- **Thealoz Duo/Hylo Care** 1 drop min. every hour (unless you sleep).

First five days after the operation:

- **Monopex** 1 drop in the morning, afternoon and in the evening.
- **Oftaquix** 1 drop in the morning, afternoon and in the evening.
- **Thealoz Duo/Hylo-care** 1 drop when needed

Important: If your eyes turn red, irritated, painful or the vision gets significantly worse after the operation, you must take immediately contact with the eye clinic at tel. 7027 4553 or contact an ophthalmologist.